



Part No.	8P24L16	8P16R24	7P24L16	7P16R24	6P24L16	6P16R24	6P30L20	6P20R30	5P30L20	5P20R30	5P36L24	5P24R36	45P39L26	45P26R39	4P42L28	4P28R42	35P45L30	35P30R45	290P45L30	290P30R45	
Figure	14	15	14	15	14	15	15	16	15	16	15	16	15	17	17	17	17	17	15	18	
<b>Gear</b>																					
<b>Outside Dia.</b>	3.037		3.496		4.070		5.067		6.080		7.278		8.722		10.589		12.943		15.639		
<b>Pitch Dia.</b>	3.000		3.429		4.000		5.000		6.000		7.200		8.667		10.500		12.857		15.500		
<b>Pinion</b>																					
<b>Outside Dia.</b>	2.169		2.506		2.930		3.578		4.290		5.094		6.065		7.355		8.960		10.908		
<b>Pitch Dia.</b>	2.000		2.286		2.667		3.333		4.000		4.800		5.778		7.000		8.571		10.334		
<b>Combination</b>	16	24	16	24	16	24	20	30	20	30	24	36	26	39	28	42	30	45	30	45	
<b>Diametral Pitch</b>	8		7		6		6		5		5		4½		4		3½		2.903		
<b>Face Width</b>	5/8		11/16		13/16		1		1½		1¼		1¾		1¾		2		2¾		
<b>A Mount Dist.</b>	1 <sup>15</sup> / <sub>16</sub>	1¼	2 <sup>3</sup> / <sub>16</sub>	2	2½	2¼	3	2¾	3½	3⅜	4¼	3 <sup>9</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>8</sub>	4 <sup>11</sup> / <sub>16</sub>	3 <sup>5</sup> / <sub>16</sub>	5 <sup>13</sup> / <sub>16</sub>	4⅜	8 <sup>5</sup> / <sub>8</sub>	6⅞	
<b>B Bore Length</b>	7/8	1	1	1⅛	1⅛	1¼	1¼	1⅝	1⅝	1⅞	1⅝	2	1⅞						3¼		
<b>C Bore Dia.</b>	<sup>+0.0005</sup> / <sub>-0.0000</sub>	3/4	15/16	15/16	11/16	11/16	13/16	13/16	17/16	15/16	11/16	17/16	11 <sup>15</sup> / <sub>16</sub>	11 <sup>11</sup> / <sub>16</sub>					3¾		
<b>D Hub Dia.</b>	1½	1 <sup>7</sup> / <sub>8</sub>	1 <sup>7</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>8</sub>	2 <sup>7</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>4</sub>	3 <sup>1</sup> / <sub>8</sub>	3 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> / <sub>2</sub>	3 <sup>5</sup> / <sub>8</sub>						6		
<b>E Hub Length</b>	¼	7/16	5/16	7/16	7/16	9/16	5/16	11/16	5/16	11/16	3/8	9/16	9/16						½		
<b>F Apex to Back.</b>														3½	5 <sup>9</sup> / <sub>16</sub>	4	6 <sup>13</sup> / <sub>16</sub>	4 <sup>7</sup> / <sub>8</sub>			
<b>G Bore Dia.</b>														4¼	3¼	5½	4	6½		10	
<b>H C' bore Dia.</b>														6	4 <sup>7</sup> / <sub>8</sub>	7¼	6	8 <sup>7</sup> / <sub>8</sub>			
<b>J Bolt Circle</b>														5⅞	4	6 <sup>3</sup> / <sub>8</sub>	4 <sup>7</sup> / <sub>8</sub>	7 <sup>3</sup> / <sub>4</sub>		11½	
<b>K Web Thick.</b>														5/8	7/8	5/8	7/8	3/4		5/8	
<b>L C' Bore Dia.</b>														5/8	7/8	11/16	1	¾			
<b>M Bore Length</b>														5/16	5/16	5/16	5/16	5/16			
<b>Holes</b>	<b>Size</b>													13/32	13/32	13/32	17/32	17/32		½-20a	
	<b>No.</b>													12	12	12	12	12		12	
<b>Keyway</b>	3/16x1/16	1/4x3/32	1/4x3/32	1/4x3/32	1/4x3/32	1/4x3/32	1/4x3/32	3/8x1/8	3/8x1/8	3/8x1/8	3/8x1/8	1/2x3/16	3/8x1/8						7/8x5/16		
<b>**Max. Bore</b>	*	13/16	*	19/16	*	11 <sup>1</sup> / <sub>16</sub>	11 <sup>1</sup> / <sub>16</sub>	1⅝	1⅞	2¼	2½	2⅝	2¾	*	*	*	*	*	4¾	10	
<b>Wt. each, lbs.</b>	.38	1.00	.75	1.62	1.00	2.25	1.63	4.37	3.38	6.25	5.25	11.50	8.62	9.50	8.25	14.00	13.50	25.50	44.5	45	
<b>Torque (lb. in.)</b>	<b>Gear</b>	902		1295		2084		3850		5960		8658		13122		23370		37958		81825	
	<b>Pinion</b>	601		863		1389		2567		3973		5772		8748		15580		25305		54550	

Note: All dimensions are in inches.      \*Cannot be reworked.      \*\*Keyway Unchanged      a - 7/8 thread length